## Tenth Grade - Trigonometry

1) Which of the following is the best option for (tanx)(sinx) + cosx

- cos x
- sec x
- None of these
- Both a and b

2) Which of the following is the best option for  $(\tan y / \sec y)$ 

- tan y
- sin y
- sec y
- cos y

3) Which of the following is the best option for  $(\cot^2 x - 1/\sin^2 x)$ 

- -1
- 1
- 0
- 3

4) Which of the following is the best option for  $(1 + \tan^2 x)(1 + \sin x)(1 - \sin x)$ 

- 3
- 0
- 7
- 1

5) Which of the following is the best option for  $(\tan^2 x - 1/\cos^2 x)$ 



- -1
- 0
- 5
- 4

6) Which of the following is the best option for (sinx / 1 - cosx)

- cosec x + cot x
- 0
- cosec x cot x
- 1

7) Which of the following is the best option for tanx - cotx

- (2sin<sup>2</sup>x − 2 / sinx cosx )
- (2sin<sup>2</sup>x + 2 / sinx cosx)
- (2sin<sup>2</sup>x 1 / sinx cosx )
- (2sin<sup>2</sup>x + 1 / sinx cosx )

8) Which of the following is the best option for  $(\sin x + \csc x)^2 + (\cos x + \sec x)^2$ 

- 7 tan<sup>2</sup>x + cot<sup>2</sup>x
- 7 + tan<sup>3</sup>x + cot<sup>3</sup>x
- 7 + tan<sup>3</sup>x + cot<sup>2</sup>x
- $7 + \tan^2 x + \cot^2 x$

9) Which of the following is the best option for  $(\sec^2 x - \sec^2 x)$ 

- tan<sup>3</sup>x + tan?x
- tan?x + tan?x
- tan<sup>2</sup>x tan?x
- tan<sup>2</sup>x + tan<sup>2</sup>x

10) Which of the following is the best option for (1/secx - tanx)

- -sec x + tan x
- sec x + tan x
- sec x tan x
- -sec x tan x

11) Which of the following is the best option for  $\cos ?x - \cos^2 x$ 

- sin?x sin²x
- sin?x sin<sup>3</sup>x
- sin?x sin²x
- sin?x sin<sup>3</sup>x

12) Which of the following is the best option for  $(\sec A + \tan A)(1 - \sin A)$ 


- cos A
- tan A
- sec A
- sin A

13) Which of the following is the best option for  $(1 + \sec A) / (\sec A)$ 

- (sec A + 1) / sec<sup>3</sup>A
- (sec A + 1) / sec<sup>2</sup>A
- (sec A 1) / sec A
- (sec A + 1) / sec A

14) Which of the following is the best option for  $(\cos A - \sin A + 1) / (\cos A + \sin A - 1)$ 

- cosec A cot A
- cosec A + cot A



- -cosec A cot A
- -cosec A + cot A

15) Which of the following is the best option for  $(\cos x) \times (\tan x) \times (\csc x)$ 

- 1
- 4
- 9
- 0

16) Which of the following is the best option for  $(1 / \sec^2 x) + (1 / \csc^2 x)$ 


- 1
- -1
- 7
- 6

17) Which of the following is the best option for tan<sup>2</sup>x(cos<sup>2</sup>x)

- 1 tan<sup>2</sup>x
- 1 cosec<sup>2</sup>x
- 1 cos<sup>2</sup>x
- 1 sin<sup>2</sup>x

18) Which of the following is the best option for  $(1/\cot^2 x) + (1/\cot^2 x)$ 


- 9
- sec?x sec<sup>2</sup>x
- sec<sup>2</sup>x sec?x
- 1



19) Which of the following is the best option for  $(1 + \tan x) / (1 + \cot x)$ 


- -1
- cos x / sin x
- 1
- sin x / cos x

20) In ?ABC right angled at B, AB = 24 cm, BC = 7 m. Find sin A?



21) If  $\sin A = 3/4$ , calculate  $\cos A$ 

- ?3/4
- ?7/4
- ?5/4



• ?2/4

22) If Given 15  $\cot A = 8$ , find sin A

- 12/17
- 16/17
- 11/17
- 15/17

23) Given sec ? = 13/12, calculate tan?

- 5/12
- 6/12
- 3/12
- 7/12

24) If  $\cot ? = 7/8$ , evaluate  $(1 + \sin ?)(1 - \sin ?)/(1 + \cos ?)(1 - \cos ?)$ 

- 59/64
- 49/64
- 69/64
- 29/64

25) If  $3\cot A = 4$ , evaluate  $(1 - \tan^2 A / 1 + \tan^2 A)$ 


- 7/25
- 9/25
- 5/25
- 8/25

26) In triangle ABC, right-angled at B, if  $\tan A = 1/3$  find the value of  $\cos A \cos C - \sin A \sin C$ 




- 1
- 0
- -5
- 4

27) In triangle PQR, right-angled at Q, PR + QR = 25 cm and PQ = 5 cm. Determine the values of sin P



28)  $\sin 2A = 2\sin A$  is true when A = ?

- 30°
- 45°
- 0°
- 60°



29) Solve cos 48° - sin 42°

- 0°
- 60°
- 45°
- 30°

30) Solve cosec 31° - sec 59°

- 70°
- 45°
- 0°
- 30°